J. Field Ornithol., 65(4):569–572

Indices to Volume 65

Compiled by Teresa Holevas

Three indices follow: an author index, a subject/geographic index, and a taxonomic index of avian species mentioned in the volume.

Author Index

(An "r" following a page number indicates the author of a publication that has been reviewed in our recent literature selection.)

Aebischer, N. J., 135 (r), 210–213
Afton, A. D., 138 (r), 551–555
Albrecht, D. J., 267 (r)
Alfaro, L., 490–497
Allen, D. H., 140–141 (r)
Alvarez-Lopez, H., 563 (r)
Andersen, D. E., 122–132
Andersen, R., 270 (r), 520–529
Andrews, K. J., 254–257
Arendt, W. J., 76–82
Arkin, L. N., 381–387
Armstrong, T., 559 (r)
Avery, M. L., 420 (r)
Avilova, K. V., 421 (r)
Azkona, P., 109–114, 143 (r)
Backstrom, P., 141 (r)
Baines, D., 560 (r)
Baldassarre, G. A., 137–138 (r)
Ball, G. F., 272 (r)
Baptista, L. F., 142 (r)
Barclay, R. M. R., 416 (r)
Baskett, T. S., 276 (r)
Bean, N. J., 421 (r)
Bednarz, J. C., 272 (r)
Belant, J. L., 543–550
Belthoff, J. R., 83–95, 140–141 (r)
Beltrán, W., 194–200
Bergmann, P. J., 151–159
Best, L. B., 557 (r)
Beuchat, C. A., 271 (r)
Birkhead, T., 145–146 (r)
Birkhead, T. R., 413 (r)
Blake, K., 267 (r)
Blanco, G., 482–489
Blohm, R. J., 476–478
Bocetti, C. J., 232–236
Bock, C. E., 472–475
Bortolotti, G. R., 416 (r)
Bosakowski, T., 562 (r)
Boyce, M. S., 141 (r)
Bozinovic, F., 563 (r)
Brigham, R. M., 186–193
Briskie, J. V., 413 (r)
Brooke, M., 145–146 (r)
Brown, B. T., 160–168
Brugger, K. E., 381–387
Bryan, A. L., Jr., 137 (r)
Buden, D. W., 562 (r)
Buhl, G., 423 (r)
Bukacinski, D., 417 (r)
Bukacinski, M., 417 (r)
Burley, N., 135 (r)
Burns, K. J., 269 (r)
Byrd, M., 415 (r)
Caccamise, D. F., 458–460
Caffrey, C., 453–457
Camp, R. J., 138 (r)
Carlile, N., 136–137 (r)
Carpenter, F. L., 271 (r)
Clark, L., 421 (r)
Clark, R. G., 559 (r)
Conner, R. N., 365–375
Coulson, J., 265 (r)
Coulson, J. C., 418 (r)
Coulter, M. C., 137 (r)
Counsilman, J. J., 1–7
Cox, R. R., Jr., 551–555
Cresswell, W., 557 (r)
Csada, R. D., 186–193
Cuevas, J. A., 482–489
Cummings, J. L., 254–257
Curnutt, J. L., 558 (r)
Dalton, R., 135 (r)
Davis, W. E., Jr., 269 (r), 270 (r)
Davis, W. H., 144 (r), 250–253, 265 (r)
Deblinger, R. D., 201–209
Derries, J., 266 (r)
DeSante, D. F., 169–185
DesBrosse, A., 268 (r)
Devine, J. P., 520–529
Doak, D., 423 (r)
Dobler, F. C., 564 (r)
Dolbeer, R. A., 543–550
Donázar, J., 466–471
Doyle, F., 265 (r)
Dunn, E. H., 8–16

Ellegren, H., 419 (r)
Etcheberry, R., 268 (r)
Fargallo, J. A., 482–489
Fedde, M. R., 142 (r)
Fedynich, A. M., 141 (r)
Fernández, C., 109–114, 143 (r)
Ferrer, M., 419 (r)
Flake, L. D., 151–159
Flatten, C. J., 258–264
Flynt, R. D., 237–246, 254–257
Fondell, T. F., 402–405
Forbes, M. R. L., 559 (r)
Ford, H., 139–140 (r)
Franke, R., 194–200
Frankel, M., 415 (r)
Frenzel, D., 423 (r)
Fullard, J. H., 416 (r)
Gabrielsen, G. W., 140 (r)
Gammonley, J. H., 530–533
Garton, E. O., 424 (r)
Gerhardt, D. M., 258–264
Gerhardt, R. P., 258–264
Geroudet, P., 144 (r)
Gerrodette, T., 265 (r)
Geupel, G. R., 169–185
Giesen, K. M., 559 (r)
Gilbert, G., 335–348
Giraldo, M., 563 (r)
Glahn, J. F., 237–246, 254–257
Glanz, W., 247–249
Godard, R., 266 (r)
Gonzáles, N. B., 258–264
Gonzalez, C., 268 (r)
Goodrich, L. J., 272 (r)
Gorski, W., 147–148 (r)
Gowaty, P. A., 504–507
Gramlich, J. M., 381–387
Grand, J. B., 402–405
Gratto-Trevor, C. L., 133–134
Gray, L. J., 137 (r)
Gurrola-Hidalgo, M. A., 138 (r)
Gustafson, E. J., 564 (r)
Guthery, F. S., 560 (r)
Hackett, S. J., 269 (r)
Haggerty, T. M., 224–231
Haig, S. M., 140–141 (r)
Hakkaraienen, H., 422 (r)
Hamilton, R. B., 410–412
Haney, J. C., 214–220
Harrison, S., 423 (r)
Hayward, G. D., 424 (r)
Hayward, P. H., 424 (r)
Hedenstrom, A., 559 (r)
Hegelbach, J., 558 (r)
Hill, E. P., 237–246
Hiraldo, F., 466–471
Hixon, M. A., 271 (r)
Holberton, R. L., 562 (r)
Hoover, J., 272 (r)
Houghton, K., 169–185
Howerter, D., 266 (r)
Huhta, E., 422 (r)
Hunter, M., 247–249
Jablonski, P., 417 (r)
Jackman, R. E., 441–446
Jalil, A. K., 1–7
James, H. F., 273–276 (r)
Jenkins, J. M., 441–446
Jenni, L., 270 (r)
Jeske, C. W., 140 (r)
Jimenez, J., 268 (r)
Johnson, D. H., 424 (r)
Johnson, K., 135 (r)
Johnson, L. S., 36–51, 267 (r), 268 (r)
Johnson, M. P., 418 (r)
Johnson, R. E., 58–59
Kalina, J., 76–82
Kalisz, P. J., 250–253
Kattan, G. H., 563 (r)
Kavanagh, B. P., 147–148 (r)
Kawashima, J. Y., 138 (r)
Kelley, J. R., Jr., 530–533
Kellogg, J., 247–249
Kendall, R. J., 565–566 (r)
Keng, W. L., 1–7
Kent, S., 376–380
Kenward, R. E., 135 (r)
Kermont, L. H., 36–51, 268 (r)
King, D. T., 254–257
King, J. O., 254–257
Klemm, R. D., 563 (r)
Klicka, J. T., 307–323
Knight, H. L., 138 (r)
Knight, R. L., 138 (r)
Koenig, W. D., 70–75
Koivula, K., 414 (r)
Korpimäki, E., 414 (r)
Kozma, J., 60–64
Kress, S. W., 349–362
Kroel, K. W., 324–334
Kushlan, J. A., 422 (r)
Lacher, T. E., Jr., 565–566 (r)
Lahti, K., 414 (r)
Lanctot, R. B., 534–542
Lawrence, J., 558 (r)
Lein, M. R., 268 (r)
Lessells, C. M., 417 (r)
Leuzinger, H., 270 (r)
Levin, D. M., 324–334
Lindsey, G. D., 76–82
Liou, L. W., 141 (r)
Lobpries, D., 420 (r)
Loughin, R., 556 (r)
Lutz, R., 143 (r), 558 (r)

Mackenzie, K. A., 476–478
Martell, M., 423 (r)
Master, T. L., 415 (r)
Mayer, P. M., 272 (r)
McGowan, K. J., 453–457
McGregor, P. K., 335–348
McKinney, B. R., 363–364
McLean, R., 415 (r)
Mehlum, F., 140 (r)
Migoya, R., 137–138 (r)
Mirarchi, R. E., 276 (r)
Montgomerie, R., 269 (r)
Morgan, K. H., 406–409, 417 (r)
Motler, A. P., 135–136 (r)
Munro, U., 139–140 (r), 419 (r)
Murray, D., 143–144 (r)
Nagy, K. A., 140 (r)
Naranjo, L. G., 194–200
Nee, K., 1–7
Negro, J. J., 466–471
Nibe, J., 423 (r)
Norton, R. L., 560 (r)
Novoa, F. F., 563 (r)
Olson, S. L., 273–276 (r)
Orell, M., 414 (r)
Page, G. W., 490–497
Palacios, E., 490–497
Palmmeirim, J. M., 17–26
Palokangas, P., 422 (r)
Parker, G. R., 564 (r)
Paton, D. C., 271 (r)
Paton, P. W. C., 558 (r)
Pavez, E., 268 (r)
Pedersen, H. C., 270 (r)
Perrins, C. M., 141 (r)
Peters, M. S., 138 (r)
Phillips, A. R., 295–306
Picman, J., 479–481
Pinowski, J., 146–148 (r)
Piti, A., 60–64
Pitman, R. L., 420 (r)
Plissner, J. H., 504–507
Plumpton, D., 143 (r)
Porneluzi, P., 272 (r)
Price, R., 141 (r)
Rabaça, J. E., 17–26
Recher, H. F., 269–270 (r)
Redig, P., 423 (r)
Regosin, J. V., 508–511
Reiger, G., 148 (r)
Rendell, W. B., 27–35
Renken, R. B., 139 (r)
Rhodes, O. E., Jr., 141 (r)
Rimmer, D. W., 201–209
Ritchison, G., 83–95
Robertson, G., 376–380
Robertson, P., 267 (r)
Robertson, P. A., 135 (r), 210–213
Robertson, R. J., 27–35
Robertson, W. B., Jr., 144–145 (r), 558 (r)
Rodenhouse, N. L., 557 (r)
Rogers, C. M., 433–440
Rohner, C., 265 (r)
Rommé, R. C., 324–334
Root, B. G., 272 (r)
Rosenmann, M., 563 (r)
Rotella, J., 266 (r)
Roth, R. R., 115–121
Rudolph, D. C., 365–375
Russell, R. W., 271 (r)
Ryan, M. R., 272 (r)
Rytkonen, S., 414 (r)
Sankowski, R., 266 (r)
Saunders, D. K., 563 (r)
Sayre, M. W., 276 (r)
Scharf, W. C., 472–475
Schmidt, T. M., 139 (r)
Schneider, J. P., 420 (r)
Schuchmann, K-L., 561 (r)
Schwartz, M. D., 424 (r)
Scott, P. E., 363–364
Seather, B-E., 270 (r)
Seddon, J., 376–380
Shealer, D. A., 349–362
Sherman, M. W., 138 (r)
Silvy, N., 558 (r)
Simons, L. H., 271 (r)
Simons, L. S., 271 (r)
Skagen, S. 273 (r)
Smith, D., 562 (r)
Smith, G. C., 136–137 (r)
Smith, G. E. J., 417 (r)
Smith, J. W., 139 (r)
Sonerud, G. A., 418 (r)
Sordahl, T. A., 461–465
Southward, G. M., 324–334
Spaar, R., 558 (r)
Sparks, E. J., 83–95
Stahl, A., 423 (r)
Stanback, M. T., 70–75
Stinson, C. M., 65–69
Stinson, D. W., 65–69
Stouffer, P. C., 458–460
Sullivan, K. A., 271 (r)
Summers-Smith, J. D., 146–147 (r)
Székely, T., 417 (r)
Székely, T., 60–64
Tacha, T. C., 420 (r)
Tate, D. P., 447–452
Taylor, B. L., 265 (r)
Taylor, D. M., 169–185
Taylor, J. S., 560 (r)
Taylor, W. E., 221–223
Tessaglia, D. L., 8–16

Thomas, D. W., 416 (r)
Thompson, B. C., 139 (r)
Tomlinson, R. E., 276 (r)
Trail, P. W., 142 (r)
Trussell, G., 520–529
Tucker, W. L., 151–159
Tyler, G., 335–348
van Franeker, J. A., 96–108
van Riper, C., III, 420 (r)
Varland, D., 556 (r)
Vaske, J. J., 201–209
Verbeek, N. A. M., 498–503
Vermeer, K., 417 (r)
Voelker, G. A., 307–323
Vuilleumier, F., 561 (r)
Wagner, R. H., 418 (r)
Wagner, S. J., 504–507
Waite, T. A., 556 (r)
Wanless, S., 416 (r)
Warner, R. E., 560 (r)
Warnock, N., 413 (r)
Warnock, S., 413 (r)
Watson, J. C., 221–223
Weatherhead, P. J., 269 (r), 559 (r)
Weathers, W. W., 271 (r)
Weeks, H. P., Jr., 52–57
Weinberg, H. J., 115–121
Weller, M. W., 388–401
Wells, D. J., 142 (r)
Wells, J., 283–294
Wells, R. J., 250–253
Wetenkamp, R. L., 562 (r)
Wheelwright, N. T., 520–529
Widmer, M., 269 (r)
Wiebe, K. L., 416 (r)
Wild, R., 421 (r)
Willis, E. O., 561 (r)
Wilson, S., 410–412
Wilson, W. H., Jr., 512–519
Wiltschko, R., 139–140 (r), 419 (r)
Wiltschko, W., 139–140 (r)
Winker, K., 307–323
Wise, D., 267 (r)
Woolfenden, G. E., 144–145 (r)
Ydenberg, R. C., 556 (r)
Young, J. H., 221–223
Zawada, N., 272 (r)
Zuern, F. A., 413 (r)
Zwank, P. J., 324–334

J. Field Ornithol., 65(4):573–575

Subject/Geographic Index

The subject/geographic index includes entries for states, provinces of Canada, countries other than United States and Canada, and some specific localities; entries under the same headings used to categorize reviews; a few additional headings that reflect specific topics (e.g., techniques). As reviews are arranged by subject and cross-referenced within the review sections of the Journal, they are indexed by geographic location only.

Alabama, 242–243
Alaska, 402–403, 436–438
  Juneau, 433–434, 437–438
  Prudhoe Bay, 535, 537–538
Alberta, 266 (r), 476, 518
Aleutian Islands, 406
alpha-chloralose, 2
analysis of variance
  Fisher's least-significant difference, 155
anesthesia
  methoxyflurane, 153
ANOVA, 4, 62, 156, 211, 443, 514, 544–546
Antarctica, 98, 270 (r)
Antilles
  Greater, 276 (r)
Archaeopteryx, 421 (r)
Arizona, 302, 305, 325, 472, 474
  Grand Canyon National Park, 160–161
Arkansas, 224, 242
Australia, 136 (r), 376–380
bamboo
  as roosting site, 237–245
banding
  and foot loss, 133–134
  differential wear of, 543–550
Bay of Fundy, 521
behavior
  pre-laying roosting, 52–57
Belize, 309
BIOMASS, 96–106
bird assemblage, 388
bird control
  lethal, 238
bird count
  counting methods, 96–106
  time-of-day effect on, 17–26
bird feeder
  interactive effects of, 512–519
bird relocation
  forced, 238
bird-human interaction, 237–245
blood sampling
  effect of, 534–542
Bonferroni z-statistic, 210
Breeding Bird Survey, 513
British Columbia, 186–187, 406–407, 477, 479
brood parasitism, 433–440
Buenaventura Bay, 195
California, 70, 138 (r), 165–166, 269 (r), 302, 305, 420 (r), 421 (r), 423 (r), 434, 453–454
  Baja, 300, 406, 490–491
  Shasta County, 442
Canada, 433–434
Central America, 301
Chesapeake Bay, 148 (r), 415 (r)
Christmas Bird Count, 512
Colombia, 194–195, 199, 299
Colorado River, 160–161, 164
Connecticut, 204, 354
Corsica, 136 (r)
corticosterone, 539
Costa Rica, 299, 451
Cretaceous, 421 (r)
cyclohexanone, 421 (r)
data analysis, 307–308, 339–347
  composition method, 217–218
  confidence-interval method, 210–213, 216–218
  correlation, 369–372
  discriminant analysis, 522–526
  discriminant equations, 318–321
  linear discriminant function, 3–5
  two resource method, 216–218
Dominica, 237
egg shell
  removal from nest, 461–464
eggs
  ejecting parasite from host nest, 508–510
  volume of, 60–64
El Salvador, 299
England, 267 (r), 288, 290, 518
Finland, 422 (r)
Fisher-Exact test of independence, 469, 538
Florida, 137 (r), 144 (r), 381–382
food
  supplemental, 512–519
  transfer, 110–113
France, 144 (r), 270 (r)
  Brittany, 500
Georgia, 137 (r), 242, 416 (r)
Great Lakes, 549–550
Guam, 65

Guatemala, 258, 300
Gulf of Mexico, 312
habitat
  fragmentation, 365–375
Hawaii, 273–276 (r), 420 (r)
histoplasmosis, 238
Honduras, 299
host/parasite species, 363–364
Hungary, 62, 417 (r), 518
Hurricane Hugo, 222
Idaho, 424 (r)
Illinois, 139 (r), 165, 251, 532
implants
  for marking birds, 533
Israel, 415 (r)
Italy, 270 (r)
Jamaica Bay, 544
Kansas, 164, 302, 472
Kent Island, 520–522
Kentucky, 83–84, 139 (r), 144 (r), 242–243, 251, 265 (r)
Key West, 148 (r)
Kruskal-Wallis analysis of variance, 240
Kruskal-Wallis test, 468
Lake Britton, 442
land management, 395–401
Longisquama, 421 (r)
Louisiana, 138 (r), 242, 551–552
Maine, 148 (r), 204, 283–285, 349–350, 512, 523
MANCOVA, 211–212
Mann-Whitney *U*-test, 468, 523
MANOVA, 212–213
Mariana Islands, 65–66
Maryland, 477
Massachusetts, 204, 252, 354
Megalancosaurus, 421 (r)
Mexico, 137 (r), 187, 276 (r), 298, 300, 308, 451, 472
Michigan, 139 (r), 164, 233
Micromort v. 1.3, 154–155
Minnesota, 141 (r), 424 (r), 532
Mississippi, 139 (r), 242, 302
  Delta region, 254–257
  River, 243
Missouri, 139 (r), 302, 531
Montana, 424 (r)
Monterrey, 299
Nebraska, 164, 472–474
Neotropical migrants, 434, 437
nest
  abandonment, 201–209
  and ectoparasites, 250–251
  boxes, 250–253
  edge-dependent success of, 434–440
  exclosure type, 203
  in tree cavities, 36–51
  monitoring with mirrors, 410
  monitoring with video camera, 410–412
  predation of, 434
  site selection, 27–33
Netherlands, 477
netting, rocket, 551–554
Nevada, 58, 138 (r)
New Brunswick, 204, 520–521
New Jersey, 204, 415 (r), 453, 545
New Mexico, 139 (r), 242, 325, 472
New York, 242, 354, 453–454
  John F. Kennedy Airport, 543–545
New Zealand, 5–6, 143 (r), 500, 546
Newfoundland, 202, 268 (r)
Nicaragua, 300, 312
North Carolina, 202, 242, 266 (r)
North Dakota, 424 (r)
Norway, 418 (r)
Nova Scotia, 204
Ohio, 233
Oklahoma, 164, 302, 509
Ontario, 27–28
Oregon, 423 (r)
Panama, 301
Panama Bay, 199
Paraguay, 254
parasitism, 250–253
Pennsylvania, 164–165
Peru, 420 (r)
Poland, 417 (r)
Portugal, 18
Prince Edward Island, 204
Project FeederWatch, 8
Puerto Rico, 76–77
Punta Soldado Island, 195
Queen Charlotte Islands, 417 (r)
radio-telemetry, 151–159, 466–468, 530–533
radio-tracking, 530–533
regression analysis, 443
Rhode Island, 204
rocket-netting, 402–404
Rocky Mountains, 143 (r), 424 (r)
Sagavanirktok River, 535
Saipan, 65
San Francisco Bay, 142 (r)
Sardinia, 136 (r)
Saskatchewan, 186–187, 416 (r)
SAST, 96–106
Scleromochlus, 421 (r)
Scotland, 336
Sheep Creek Valley, 434
Sierra Nevada Mountains, 442
Singapore, 2
South America, 307–323
South Carolina, 137 (r), 141 (r), 221, 242–243, 505
South Dakota, 151–152, 424 (r), 472

Spain, 110, 143 (r), 419 (r), 466–470, 482–488
Spearman rank correlation, 283–285
spectrogram, 338–346
statistical analysis
  Mayfield method, 154
Sweden, 518
Swiss Alps, 269 (r)
Switzerland, 144 (r), 270 (r)
t-test, 531–532
  two-sample, 538
techniques
  capturing cavity-nesters, 70–75
  water-offloading, 376–380
Tennessee, 139 (r), 243
Texas, 141 (r), 242, 299, 302, 363, 365, 388, 421 (r), 472, 477
transmitters
  solar, 123–127
trap
  bow-net, 153
  purse-string, 153
  walk-in, 153
Triassic, 421 (r)
underwater swimming
  in oystercatchers, 406–408
Utah, 461–462
Venezuela, 305, 447
Virginia, 204, 242
vocalization, 335–348
volumeter, 60–64
West Indies, 248
Winter Bird Counts, 512
Wisconsin, 518
Wyoming, 37, 472, 499
z-test, 154–155
Zimbabwe, 500

Taxonomic Index

The following taxonomic index includes entries for common and scientific names of birds given in papers, notes, and reviews.

Acanthiza lineata, 269 (r)
Accipiter cooperii, 8–15, 173
A. gentilis, 10
A. nisus, 15
Accipiter spp., 113
Accipiter striatus, 8–15, 173
Acridotheres javanicus, 1–7
A. tristi, 1–7
Acrocephalus familiaris, 275 (r)
Actitis macularia, 133, 195, 393, 408
Aegolius funereus, 51, 92, 414 (r), 418 (r), 424 (r)
Aerodramus sawtelli, 416 (r)
Aethia cristatella, 212, 218
Agelaius phoeniceus, 146 (r), 238, 242–243, 394, 399, 424 (r), 560 (r)
Aidemedia, 275 (r)
Aimophila aestivalis, 224–231
A. carpalis, 229
A. ruficeps, 174
Aix sponsa, 157, 530–533
Ajaia ajaja, 392
Akekee, see *Loxops caeruleirostris*
Alauda arvensis, 557 (r)
Albatross
  Black-browed, see *Diomedea melanophris*
  Grey-headed, see *Diomedea chrysostoma*
  Light-mantled Sooty, see *Phoebetria palebrata*
Alectoris chukar, 415 (r)
Amakihi, Oahu, see *Loxops virens chloris*
Amazona agilis, 81
A. leucocephala bahamensis, 81
A. ventralis, 81
A. vittata, 76–82
Amikihi, Kauai, see *Loxops stejnegeri*
Ammodramus caudacutus, 394
A. leconteii, 394
A. maritimus, 394
A. savannarum, 174, 424 (r)
Amphispiza belli, 229
Anas affinis, 402
A. americana, 141 (r), 392, 559 (r), 564 (r)
A. americana, 402
A. clypeata, 138 (r), 392, 402, 559 (r)
A. crecca, 138 (r), 392, 564 (r)
A. cyanoptera, 138 (r)
A. discors, 141 (r), 392, 394, 559 (r), 562 (r), 563 (r)
A. fulvigula, 392, 394
A. platyrhynchos, 140–141 (r), 147 (r), 151–159, 266 (r), 392, 402, 532, 559 (r), 564 (r)
A. querquedula, 141 (r)
A. rubripes, 402
A. strepera, 392, 402, 559 (r)
Anhinga, see *Anhinga anhiga*
Anhinga anhiga, 392
Anser albifrons, 392
Anthus spinoleta, 393–394
Aphelocoma caerulescens, 10, 173
A. coerulescens, 145 (r)
Apteribis glenos, 274 (r)
Aquila adalberti, 419 (r)
A. audax, 80
A. chrysaetos, 58–59, 415 (r)
Ara chloroptera, 146 (r)
A. macao, 146 (r)
Archilochus alexandri, 173
Ardea herodias, 392, 394
Asio flammeus sandwichensis, 274 (r)
Athene cunicularia, 143 (r)
Auklet, Crested, see *Aethia cristatella*
Automolus ochrolaemus cervinigularis, 307, 320
Avocet, see *Recurvirostra avosetta*
Avocet American, see *Recurvirostra americana*
Aythya collaris, 138 (r)
A. valisinera, 402
Bittern
  American, see *Botaurus lentiginosus*
  European, see *Botaurus stellaris*
  Least, see *Ixobrychus exilis*
Blackbird, Red-winged, see *Agelaius phoeniceus*
Bluebird
  Eastern, see *Sialia sialis*
  Mountain, see *Sialia currucoides*
  Western, see *Sialia mexicana*
Bobwhite, Northern, see *Colinus virginianus*
Bombycilla cedrorum, 381–387
booby, 420 (r)
Botaurus lentiginosus, 343, 392
B. stellaris, 335–348
Branta canadensis, 392
B. sandvicensis, 274 (r)
Bubo virginianus, 10, 124, 158, 265–266 (r), 312
Bubulcus ibis, 392, 394, 399

Bucephala albeola, 32, 51, 392, 564 (r)
B. clangula, 564 (r)
Bufflehead, see *Bucephala albeola*
Bunting
Indigo, see *Passerina cyanea*
Lazuli, see *Passerina amoena*
Painted, see *Passerina ciris*
Bushtit, see *Psaltriparus minimus*
Buteo jamaicensis, 10–15, 77, 122–126, 173, 266 (r), 392
B. lagopus, 415 (r), 562 (r)
B. lineatus, 10–15, 131
B. platypterus, 10
B. regalis, 122–123, 127
Butorides striatus, 392
Cacatua roseicapilla, 80
Calcarius ornatus, 424 (r)
Calidris minutilla, 133, 393
C. alpina, 393, 413 (r)
C. fuscicollis, 393
C. himantopus, 133, 393
C. mauri, 194–200, 393, 413 (r)
C. melanotos, 133, 393
C. pusilla, 133, 393
Callipepla californica, 173
C. gambelli, 139 (r)
Calonectris d. diomedea, 136 (r)
Calypte anna, 173
C. costae, 420 (r)
Calyptorhynchus funereus, 81
Campephilus principalis, 50
Campylorhynchus brunneicapillus, 271 (r)
Canvasback, see *Aythya valisinera*
Caprimulgidae, 186
Caprimulgus europeaus, 187
C. vociferus, 192
Cardinal, Northern, see *Cardinalis cardinalis*
Cardinalis cardinalis, 12, 55, 517
Carduelis carduelis, 421 (r)
C. pinus, 12, 117, 175
C. psaltria, 162–163, 165–166, 175
C. tristis, 12, 135 (r), 175, 515–517
Carpodacus mexicanus, 12, 162–163, 165–166, 172–173, 175, 514–517
C. purpureus, 175, 514–516
Casmerodias albus, 392
Catbird, Gray, see *Dumetella carolinensis*
Cathartes aura, 392
Catharus guttauts, 172–173
Catharus spp., 116
C. swainsoni, 433, 435–437
C. ustulatus, 173
Catoptrophorus semipalmatus, 393–394
Cepphus columba, 417 (r)
C. grylle, 140 (r)
Certhia americana, 173
C. brachydactyla, 18, 21
C. familiaris, 44, 51
Ceryle alcyon, 173, 393
Chaetura pelagica, 393
Chamaea fasciata, 174
Charadrius alba, 199
C. alexandrinus, 417 (r)
C. melodus, 201–209, 268 (r), 272 (r)
C. semipalmatus, 195, 393
C. vociferus, 393, 424 (r)
C. wilsonia, 393
C. wilsonius, 195
Chasiempis, 274–275 (r)
Chat, Yellow-breasted, see *Icteria virens*
Chechelynechen, 274 (r)
Chelychelynechen, 275 (r)
Chen caerulescens, 392, 394
Chickadee
Black-capped, see *Parus atricapillus*
Boreal, see *Parus hudsonicus*
Carolina, see *Parus carolinensis*
Chestnut-backed, see *Parus rufescens*
Mexican, see *Parus sclateri*
Mountain, see *Parus gambeli*
Chicken, Domestic, see *Gallus gallus*
Chiffchaff, see *Phylloscopus collybita*
Chlidonias niger, 393
Chloridops, 274 (r)
Chon destes grammacus, 174
Chordeiles minor, 187, 393
Chukar, see *Alectoris chukar*
Ciccaba nigrolineata, 258–264
C. virgata, 258–264
C. woodfordii, 258
Cinclocerthia ruficauda, 247–249
Circus aeruginosus, 109–113, 143 (r)
C. cyaneus, 10, 392
Circus spp., 113
Ciridops, 274 (r)
Cistothorus palustris, 173, 393
C. platensis, 393
Cleptornis marchei, 65–69
Coccothraustes vespertinus, 514–516
Cockatoo, Black, see *Calyptorhynchus funereus*
Colaptes auratus cafer, 173
C. auratus, 42, 173
Colinus virginianus, 539
C. virginianus, 560 (r)
Colomba palumbus, 147 (r)
C. livia, 12, 514–516
C. livia, 147 (r), 419 (r)
Contopus borealis, 173
C. sordidulus, 173
C. virens, 137 (r)
Coot
American, see *Fulica americana*
Hawaiian, see *Fulica alai*

Coragyps atratus, 392
Cormorant
Double-crested, see *Phalacrocorax auritus*
Great, see *Phalacrocorax carbo*
Neotropical, see *Phalacrocorax olivaceus*
Olivaceous, see *Phalacrocorax olivaceous*
Corvus brachyrhynchos, 10, 55, 139 (r), 515–516
C. caurinus, 408, 418 (r)
C. caurinus, 438
C. corax, 138 (r), 266 (r), 438, 514–516
C. hawaiiensis, 274 (r)
C. monedula, 146–147 (r)
Coturnicops noveboracensis, 392
Cowbird
Bronzed, see *Molothrus aerneus*
Brown-headed, see *Molothrus ater*
Screaming, see *Molothrus rufoaxillaris*
Shiny, see *Molothrus bonariensis*
Crane, Sandhill, see *Grus canadensis*
Creeper
Brown, see *Certhia americana*
Hawaii, see *Oreomystis mana*
Crow
American, see *Corvus brachyrhynchos*
Northern, see *Corvus caurinus*
Northwestern, see *Corvus caurinus*
Curlew, Long-billed, see *Numenius americanus*
Cyanocitta cristata, 12, 55, 514–516
Daption capense, 100–102
Dendrocopus major, 418 (r)
Dendrocygna autumnalis, 138 (r), 392, 421 (r)
D. bicolor, 392
Dendroica caerulescens, 174
D. coronata, 174
D. c. auduboni, 172–174
D. c. coronata, 174
D. disolor, 56
D. kirklandii, 233
D. magnolia, 174
D. nigrescens, 174
D. occidentalis, 174
D. palmarum, 174
D. pensylvanica, 174
D. petechia, 162–163, 165, 174, 433, 435–437
D. pinus, 364
D. striata, 174
D. townsendi, 174
D. t. X occidentalis, 174
D. virens, 364
Dickcissel, see *Spiza americana*
Diomedea crhysostoma, 100
D. melanophris, 100, 102
Diver, Black-throated, see *Gavia arctica*
Dove
Eurasian Collared, see *Streptopelia decaocto*
Mourning, see *Zenaida macroura*
Ringed Turtle-, see *Streptopelia risoria*
Rock, see *Columba livia*
Dowitcher
Long-billed, see *Limnodromus scolopaceus*
Short-billed, see *Limnodromus griseus*
Dryocopus pileatus, 50
Duck
Black, see *Anas rubripes*
Black-bellied Whistling-, see *Dendrocygna autumnalis*
Fulvous Whistling-, see *Dendrocygna bicolor*
Mottled, see *Anas fulvigula*
Ring-necked, see *Aythya collaris*
Wood, see *Aix sponsa*
Dumetella carolinensis, 421 (r)
Dunlin, see *Calidris alpina*
Eagle
Bald, see *Haliaeatus leucocephalus*
Golden, see *Aquila chrysaetos*
Spanish Imperial, see *Aquila adalberti*
Wedge-tailed, see *Aquila audax*
Eagle-buzzard, Grey, see *Geranoaetus melanoleucus*
Ecopistes migratorius, 276 (r)
Egret
Cattle, see *Bubulcus ibis*
Great, see *Casmerodias albus*
Great, see *Egretta alba*
Reddish, see *Egretta rufescens*
Snowy, see *Egretta thula*
egrets, 562 (r)
Egretta alba, 392, 394, 415 (r)
Eg. caerulea, 392, 394, 415 (r)
E. rufescens, 392
E. thula, 392, 394, 415 (r)
E. tricolor, 392, 394, 415 (r)
Eider Common, see *Somateria mollissima*
Elanus caeruleus, 392
Empidonax sp., 173
E. difficilis and *occidentalis*, 171–173
E. minimus, 173
E. traillii, 160, 162–165, 173
Eremophila alpestris, 424 (r)
Eudocimus albus, 392, 394
Euphagus cyanocephalus, 175, 242
Eurypyga helias, 146 (r)
Falco biarmicus, 415 (r)
F. columbarius, 10, 392, 557 (r)
F. peregrinus, 81, 392, 407, 564 (r)
F. sparverius, 10, 31–32, 173, 392, 416 (r), 556 (r)
F. tinnunculus, 422 (r)
Falcon
Lanner, see *Falco biarmicus*
Peregrine, see *Falco peregrinus*
Ficedula hypoleuca, 44, 51

Finch
House, see *Carpodacus mexicanus*
Purple, see *Carpodacus purpureus*
Flicker
Northern, see *Colaptes auratus*
"Red-shafted", see *Colaptes auratus cafer*
Flycatcher
Ash-throated, see *Myiarchus cinerascens*
Brown-crested, see *Myiarchus tyrannulus*
Dusky-capped, see *Myiarchus tuberculifer*
Fork-tailed, see *Tyrannus savana*
Great Crested, see *Myiarchus crinitus*
Least, see *Empidonax minimus*
Loggerhead, see *Tyrannus caudifasciatus*
Olive-sided, see *Contopus borealis*
Pied, see *Ficedula hypolueca*
Scissor-tailed, see *Tyrannus forficata*
Scissor-tailed, see *Tyrannus forficatus*
Sulphur-bellied, see *Myiodynastes luteventris*
Western, see *Empidonax difficilis and occidentalis*
Willow, see *Empidonax traillii*
Fregetta tropica, 100
frigatebirds, 420 (r)
Fulica alai, 275 (r)
F. americana, 392
Fulmar Southern, see *Fulmarus glacialoides*
Fulmarus glacialoides, 100–102
Gadwall, see *Anas strepera*
Galah, see *Cacatua roseicapilla*
Gallinago gallinago, 393
Gallinula chloropus, 392
Gallinule Purple, see *Porphyrula martinica*
Gallus gallus, 539
Garganey, see *Anas querquedula*
Gavia arctica, 335–348
G. immer, 336
G. stellata, 336
Geococcyx californianus, 10
Geospiza spp., 312
Geothlypis trichas, 137 (r), 160, 162–165, 174, 394
Geranoaetus melanoleucus, 268 (r)
Glaucidium gnoma, 10
Gnatcathcer, Blue-gray, see *Polioptila caerulea*
Godwit
Hudsonian, see *Limosa haemastica*
Marbled, see *Limosa fedoa*
Goldeneye, Common, see *Bucephala clangula*
Goldfinch
American, see *Carduelis tristis*
American, see *Spinus tristis*
European, see *Carduelis carduelis*
Lesser, see *Carduelis psaltria*
Goose
Canada, see *Branta canadensis*
Greater White-fronted, see *Anser albifrons*
Lesser Snow, see *Chen caerulescens*
Goshawk, Northern, see *Accipiter gentilis*
Grackle
Boat-tailed, see *Quiscallus major*
Common, see *Quiscalus quiscula*
Grallistrix, 274 (r)
Grebe
Great Crested, see *Podiceps cristatus*
Pied-billed, see *Podilymbus podiceps*
Greenlet
Lesser, see *Hylophilus decurtatus "decurtatus"*
Tawny-crowned, see *Hylophilus o. ochraceiceps*
Grosbeak
Black-headed, see *Pheucticus melanocephalus*
Blue, see *Guiraca caerulea*
Evening, see *Coccothraustes vespertinus*
Rose-breasted, see *Pheucticus ludovicianus*
Grouse, Black, see *Tetrao tetrix*
Grus canadensis, 147 (r), 393
Guillemot
Black, see *Cepphus grylle*
Pigeon, see *Cepphus columba*
Guiraca caerulea, 160, 162–165
Gull
Black-headed, see *Larus ridibundus*
Franklin's, see *Larus pipixcan*
Glaucous, see *Larus hyperboreus*
Great Black-backed, see *Larus marinus*
Herring, see *Larus argentatus*
Iceland, see *Larus glaucoides*
Laughing, see *Larus atricilla*
Lesser Black-backed, see *Larus fuscus*
Red-billed, see *Larus novaehollandiae*
Ring-billed, see *Larus delawarensis*
Silver, see *Larus novaehollandiae*
Thayer's, see *Larus thayeri*
gulls, 562 (r)
Haematopus bachmani, 406–409
H. ostralegus, 408
H. palliatus, 408
Haliaetus albicilla, 274 (r)
H. leucocephalus, 274 (r)
Halieeatus leucocephalus, 123, 407, 424 (r), 558 (r)
Halycon sancta, 336
Harrier
Marsh, see *Circus aeruginosus*
Northern, see *Circus cyaneus*
Hawk
Cooper's, see *Accipiter cooperii*
Ferruginous, see *Buteo regalis*
Red-shouldered, see *Buteo lineatus*

Red-tailed, see *Buteo jamaicensis*
Rough-legged, see *Buteo lagopus*
Sharp-shinned, see *Accipiter striatus*
Swainson's, see *Buteo swainsoni*
hawks, 562 (r)
Hemignathus, 274–275 (r)
H. kauaiensis, 275 (r)
Heron
Black-crowned Night-, see *Nycticorax nycticorax*
Great Blue, see *Ardea herodias*
Green-backed, see *Butorides striatus*
Little Blue, see *Egretta caerulea*
Tricolored, see *Egretta tricolor*
Yellow-crowned Night-, see *Nycticorax violaceus*
herons, 562 (r)
Heterorhychus, 275 (r)
Himantopus himantopus, 143 (r)
H. knudseni, 275 (r)
H. mexicanus, 393–394, 399, 408
H. novaezelandiae, 143 (r)
Himatione freethi, 275–276 (r)
Hirundo pyrrhonota, 251, 393
H. rustica, 135 (r), 173, 393
Honeyeater
Regent, see *Xanthomyza phrygia*
Yellow-faced, see *Lichenostomus chrysops*
Hummingbird
Allen's, see *Selasphorus sasin*
Anna's, see *Calypte anna*
Black-chinned, see *Archilochus alexandri*
Broad-tailed, see *Selasphorus platycercus*
Calliope, see *Stellula calliope*
Costa's, see *Calypte costae*
Rufous, see *Selasphorus rufus*
hummingbirds, 561 (r)
Hylocichla mustelina, 135 (r)
Hylophilus decurtatus "decurtatus", 307, 311–321
H. d. dickermani, 311, 320
H. d. phillipsi, 311
H. ochraceiceps pallidipectus, 309
Ibis
White, see *Eudocimus albus*
White-faced, see *Plegadis chihi*
Icteria virens, 162–163, 165, 174
I. galbula, 163, 175
I. spurius, 175, 299, 394
Ixobrychus exilis, 392, 394, 399
Ixoreus naevius, 115–120, 174, 564 (r)
Jay
Blue, see *Cyanocitta cristata*
Florida Scrub, see *Aphelocoma coerulescens*
Gray, see *Perisoreus canadensis*
Scrub, see *Aphelocoma caerulescens*
Steller's, see *Cyanocitta stelleri*
Junco
Dark-eyed, see *Junco hyemalis*
Yellow-eyed, see *Junco phaeonotus*
Junco hyemalis, 12, 175, 271 (r), 562–563 (r)
J. phaeonotus, 271 (r)
Kestrel
American, see *Falco sparverius*
European, see *Falco tinnunculus*
Killdeer, see *Charadrius vociferus*
Kingbird
Cassin's, see *Tyrannus vociferans*
Couch's, see *Tyrannus couchii*
Eastern, see *Tyrannus tyrannus*
Giant, see *Tyrannus cubensis*
Gray, see *Tyrannus dominicensis*
Loggerhead, see *Tyrannus caudifasciatus*
Snowy-throated, see *Tryannus niveigularis*
Thick-billed, see *Tyrannus crassirostris*
Tropical, see *Tyrannus melancholicus*
Tropical, see *Tyrannus melancholicus satrapa*
Western, see *Tyrannus verticalis*
Kingfisher
Australian, see *Halycon sancta*
Belted, see *Ceryle alcyon*
Kinglet
Golden-crowned, see *Regulus satrapa*
Ruby-crowned, see *Regulus calendula*
Kite
Black-shouldered, see *Elanus caeruleus*
Snail, see *Rostrhamus sociabilis*
Kittiwake, Black-legged, see *Rissa tridactyla*
Lanius excubitor, 10
L. ludovicianus, 174, 393
larids, 544
Lark, Horned, see *Eremophila alpestris*
Larus argentatus, 283–292, 393
L. atricilla, 393, 543–550
L. delawarensis, 286, 393, 549
L. fuscus, 286
L. glaucoides, 286
L. hyperboreus, 286
L. marinus, 283–292
L. novaehollandiae, 136 (r)
L. novaehollandiae, 544, 546
L. pipixcan, 393
L. ridibundus, 286
L. thayeri, 286
Lichenostomus chrysops, 419 (r)
Limnodromus griseus, 133, 391–393
L. scolopaceus, 133, 391–393, 394
Limosa fedoa, 393
L. haemastica, 393
Longspur, Chestnut-collared, see *Calcarius ornatus*
Loon, Common, see *Gavia immer*
Loxioides, 274 (r)

Loxops careuleirostris, 275 (r)
L. stejnegeri, 275 (r)
L. virens chloris, 275 (r)
Macaw
Red-and-Green, see *Ara chloroptera*
Scarlet, see *Ara macao*
Macronectes giganteus, 100
Magpie, Black-billed, see *Pica pica*
Magumma, 276 (r)
Mallard, see *Anas platyrhynchos*
Martin, Purple, see *Progne subis*
Meadowlark Eastern, see *Sturnella magna*
Melamprosops, 274 (r)
Melanerpes carolinus, 42, 50
Melanerpes aurifrons, 50
M. erythrocephalus, 42, 50
M. formicivorus, 42, 50, 70
M. lewis, 50
Meleagris gallopavo, 564 (r)
M. g. silvestris, 564 (r)
Meliphagidae, 274 (r), 419 (r)
Melospiza georgiana, 394
M. lincolnii, 175
Merganser
Common, see *Mergus merganser*
Red-breasted, see *Mergus serrator*
Mergus merganser, 392
M. serrator, 392
Merlin, see *Falco columbarius*
Micrathene whitneyi, 32
Millerbird, see *Acrocephalus familiaris*
Mimus polyglottos, 174, 393, 421 (r)
Mockingbird, Northern, see *Minus polyglottos*
Molothrus, 274 (r)
M. aerneus, 508, 510
M. ater, 142 (r), 146 (r), 160–168, 238, 242, 272 (r), 363–364, 365, 394, 433–440, 508–510
M. bonariensis, 508, 510
M. rufoaxillaris, 508
Moorhen, Common, see *Gallinula chloropus*
Motacilla flava, 419 (r)
Murre Common, see *Uria aalge*
Muscivora tyrannus, 295–299
M. t. savana, 296
Myadestes, 274 (r)
Mycteria americana, 137 (r), 392
Myiarchus cinerascens, 50, 138 (r), 173
M. crinitus, 32, 50, 137 (r)
M. tuberculifer, 50
M. tyrannulus, 50
Myiodynastes luteventris, 50
Myna
Common, see *Acridotheres tristis*
White-vented, see *Acridotheres javanicus*
Nighthawk, Common, see *Chordeiles minor*
Nightjar, European, see *Caprimulgus europeaus*
Numenius americanus, 393
N. phaeopus, 393
Nuthatch
Brown-headed, see *Sitta pusilla*
European, see *Sitta europaea*
Pygmy, see *Sitta pygmaea*
Red-breasted, see *Sitta canadensis*
White-breasted, see *Sitta carolinensis*
Nycticorax nycticorax, 350, 391–392
N. violaceus, 391–392
Oceanites oceanicus, 100, 102
Oporonis agilis, 174
O. tolmiei, 174
Oreomystis, 275 (r)
O. mana, 275 (r)
Oriole
Northern, see *Icterus galbula*
Orchard, see *Icterus spurius*
Orthiospiza, 274 (r)
Osprey, see *Pandion haliaetus*
Otus asio, 32, 83–95, 131
O. flammeolus, 32
Ovenbird, see *Seiurus aurocapillus*
Owl
Barred, see *Strix varia*
Black-and-white, see *Ciccaba nigrolineata*
Boreal, see *Aegolius funereus*
Burrowing, see *Athene cunicularia*
California Spotted, see *Strix occidentalis occidentalis*
Eastern Screech-, see *Otus asio*
Elf, see *Micrathene whitneyi*
Flammulated, see *Otus flammeolus*
Great Horned, see *Bubo virginianus*
Mexican Spotted, see *Strix occidentalis*
Mottled, see *Ciccaba virgata*
Northern Pygmy, see *Glaucidium gnoma*
Northern Spotted, see *Strix occidentalis caurina*
Spotted, see *Strix occidentalis*
Tawny, see *Strix aluco*
Tengmalm's, see *Aegolius funereus*
Oystercatcher
American Black, see *Haematopus bachmani*
American, see *Haematopus palliatus*
Eurasian, see *Haematopus ostralegus*
Pachyptila vittata, 100, 102
Pagodroma nivea, 100–102
Pandion haliaetus, 392, 415 (r)
Paroreomyza, 275 (r)
P. maculata, 275 (r)
P. montana, 275 (r)
Parrot
Bahama, see *Amazona leucocephala bahamensis*

Black-billed, see *Amazona agilis*
Hispaniolan, see *Amazona ventralis*
Puerto Rican, see *Amazona vittata*
Parus atricapillus, 32, 43, 50, 137 (r), 421 (r), 514–516
P. bicolor, 43, 50, 517
P. caeruleus, 32, 44
P. carolinensis, 43, 50, 252
P. cinctus, 50
P. cristatus, 518
P. gambeli, 32, 43, 51
P. hispaniolensis, 146 (r)
P. inornatus, 50, 173
P. major, 32, 44, 141 (r), 419 (r), 421 (r)
P. montanus, 146 (r), 414–415 (r), 518
P. palustris, 44, 51
P. rufescens, 50, 173
P. sclateri, 51
P. wollweberi, 51
Passer domesticus, 12, 15, 32, 37, 146–147 (r), 265 (r), 413 (r), 515–516
P. d. indicus, 147 (r)
P. montanus, 67, 147 (r)
Passerculus sandwichensis, 390–394, 520–527
Passerella iliaca, 174, 269 (r), 435–437
P. i. megarhyncha, 269 (r)
P. i. stephensi, 269 (r)
Passerina amoena, 174
P. ciris, 115
P. cyanea, 115, 163
Peep, 394
Pelecanus erythrorhychos, 392
Pelican, American White, see *Pelecanus erythrorhynchos*
Penguin, Adélie, see *Pygoscelis adeliae*
Perisoreus canadensis, 556 (r)
Petrel
Antarctic, see *Thalassoica antarctica*
Black-bellied Storm-, see *Fregetta tropica*
Cape, see *Daption capense*
Snow, see *Pagodroma nivea*
Southern Giant, see *Macronectes giganteus*
White-chinned, see *Procellaria aequinoctialis*
Wilson's Storm-, see *Oceanites oceanicus*
Phainopepla, 163
Phalacrocorax atriceps, 416 (r)
P. auritus, 144 (r), 254–257, 391–392
P. carbo, 144 (r)
P. olivaceus, 254, 392
Phalaenoptilus nuttallii, 186–193
Phalarope, Wilson's, see *Phalaropus tricolor*
Phalaropus tricolor, 393
Phasianus colchicus, 135 (r), 267 (r), 560 (r)
Pheasant, Ring-necked, see *Phasianus colchicus*
Pheucticus ludovicianus, 174
P. melanocephalus, 163, 174
Philohela minor, 336
Phocoena sinus, 265 (r)
Phoebe
Black, see *Sayornis nigricans*
Eastern, see *Sayornis phoebe*
Say's, see *Sayornis saya*
Phoebetria palebrata, 100
Phylloscopus collybita, 419 (r)
P. sibilatrix, 146 (r)
Pica pica, 10
Picoides albolarvatus, 50
P. arcticus, 50
P. borealis, 42, 50, 141 (r), 221–223, 365–375, 539
P. nutalli, 50
P. pubescens, 50, 173, 514–516
P. scalaris, 50
P. stricklandi, 50
P. tridactylus, 50
P. villosus, 50, 173, 514–516
Pigeon
Homing, see *Columba livia*
Passenger, see *Ecopistes migratorius*
Pintail, Northern, see *Anas acuta*
Pipit, Water, see *Anthus spinoleta*
Piranga ludoviciana, 174
P. olivacea, 174
Plegadis chihi, 392, 394
Plover
Black-bellied, see *Pluvialis squatarola*
Kentish [Snowy], see *Charadrius alexandrinus*
Mountain, see *Charadrius montanus*
Piping, see *Charadrius melodus*
Semipalmated, see *Charadrius semipalmatus*
Wilson's, see *Charadrius wilsonia*
Pluvialis squatarola, 393
Podiceps cristatus, 417 (r)
Podilymbus podiceps, 392
Polioptila caerulea, 162–163, 165, 173, 363
Pooecetes gramineus, 424 (r), 557 (r)
Poorwill, Common, see *Phalaenoptilus nuttallii*
Porphyrula martinica, 392
Porzana, 274 (r)
P. carolina, 392
Prairie Chicken
Attwater's, see *Tympanuchus cupido attwateri*
Lesser, see *Tympanchus pallidicinctus*
Procellaria aequinoctialis, 100
Progne subis, 50, 250, 393
Protonotaria citrea, 43, 51
Psaltriparus minimus, 173
Psittirostra, 275 (r)

Ptaiochen, 274 (r)
Pterodroma, 274 (r)
Puffinus tenuirostris, 212, 217
Pygoscelis adeliae, 376–380
Quail
California, see *Callipepla califonica*
Gambel's, see *Callipepla gambelii*
Northern Bobwhite, see *Colinus virginianus*
Quiscallus major, 394, 399
Quiscalus quiscula, 10, 146 (r), 238, 242
Rail
Clapper, see *Rallus longivostris*
King, see *Rallus elegans*
Virginia, see *Rallus limicola*
Yellow, see *Coturnicops noveboracensis*
Rallus elegans, 391–392
R. limicola, 392
R. longivostris, 391–392
Raven
Common, see *Corvus corax*
Northern, see *Corvus corax*
Recurvirostra americana, 393, 408
R. avosetta, 146 (r)
Redhead, see *Anas americana*
Redstart, American, see *Setohaga ruticilla*
Regulus calendula, 171–173
R. satrapa, 173
Rhodacanthis, 274 (r)
Riparia riparia, 393
Rissa tridactyla, 217, 418 (r)
Roadrunner, Greater, see *Geococcyx californianus*
Robin, American, see *Turdus migratorius*
Rostrhamus sociabilis, 123
Rynchops niger, 393
Salpinctes obsoletus, 173
Sanderling, see *Charadrius alba*
Sandpiper
Buff-breasted, see *Tryngites subruficollis*
Least, see *Calidris minutilla*
Pectoral, see *Calidris melanotos*
Semipalmated, see *Calidris pusilla*
Solitary, see *Tringa solitaria*
Spotted, see *Actitis macularia*
Stilt, see *Calidris himantopus*
Western, see *Calidris mauri*
White-rumped, see *Calidris fucsicollis*
Wood, see *Tringa glareola*
Sapsucker
Red-breasted, see *Sphyrapicus ruber*
Red-naped, see *Sphyrapicus nuchalis*
Williamson's, see *Sphyrapicus thyroideus*
Yellow-bellied, see *Sphyrapicus varius*
Sayornis nigricans, 163, 173
S. phoebe, 52–57, 421 (r)
S. saya, 163, 173
Scaup Lesser, see *Anas affinis*
Seiurus aurocapillus, 272 (r)
S. noveboracensis, 174, 560 (r)
Selasphorus platycercus, 142 (r)
S. rufus, 142 (r), 173, 271–272 (r)
S. sasin, 173
Setohaga ruticilla, 115, 174
Shag, Blue-eyed, see *Phalacrocorax atriceps*
Shearwater
Cory's, see *Calonectris d. diomedea*
Short-tailed, see *Puffinus tenuirostris*
shearwaters, 420 (r)
shorebirds, 562 (r)
Shoveler, Northern, see *Anas clypeata*
Shrike
Loggerhead, see *Lanius ludovicianus*
Northern, see *Lanius excubitor*
Sialia mexicana, 51, 173
S. sialis, 31, 43–44, 51, 139 (r), 14 (r), 250–253, 265 (r), 413 (r)
Silvereyes, Australian, see *Zosterops lateralis*
Siskin, Pine, see *Carduelis pinus*
Sitta canadensis, 43, 50, 173, 514–516
S. carolinensis, 31–32, 51, 252, 515–516
S. europaea, 44, 51
S. pusilla, 50
S. pygmaea, 32, 43, 50, 173
Skimmer, Black, see *Rhychops niger*
Skylark, see *Alauda arvensis*
Snipe, Common, see *Gallinago gallinago*
Somateria mollissima, 350
Sora, see *Porzana carolina*
Sparrow
Bachman's, see *Aimophila aestivalis*
Brewer's, see *Spizella breweri*
Chipping, see *Aimophila ruficeps*
"Gambel" White-crowned, 175
Golden-crowned, see *Zonotrichia atricapilla*
Grasshopper, see *Ammodramus savannarum*
House, see *Passer domesticus*
Lark, see *Chon destes grammacus*
LeConte's, see *Ammodramus leconteii*
Lincoln's see *Melospiza lincolnii*
"Nuttall's" White-crowned, 175
"Puget-sound" White-crowned, 175
Rufous-winged, see *Aimophila carpalis*
Rufous-collared, see *Zonotrichia capensis* (Emberizidae)
Sage, see *Amphispiza belli*
Savannah, see *Passeruculus sandwichensis*
Seaside, see *Ammodramus maritimus*
Sharp-tailed, see *Ammodramus caudacutus*
Song, see *Melospiza melodia*
Swamp, see *Melospiza georgiana*
Vesper, see *Pooecetes gramineus*
White-crowned, see *Zonotrichia leucophrys*

White-crowned, see *Zonotrichia leucophrys nuttalli*
White-throated, see *Zonotrichia albicollis*
Sparrowhawk, see *Accipiter nisus*
Sphyrapicus nuchalis, 42, 50
S. ruber, 50, 173
S. thryoideus, 42, 50
S. varius, 42, 50
Spinus tristis, 421 (r)
Spiza americana, 394
Spizella breweri, 229
Spoonbill, Roseate, see *Ajaia ajaja*
Starling
Eurasian, see *Sturnus vulgaris*
European, see *Sturnus vulgaris*
Stelgidopteryx serripennis, 393
Stellula calliope, 173
Sterna antillarum, 139 (r), 393
S. caspia, 393, 546, 549–550
S. dougallii, 349–362
S. fuscata, 145 (r)
S. hirundo, 350, 33
S. maxima, 393
S. nilotica, 393
S. paradisaea, 100
Sterna forsteri, 393
Stilt
Black, see *Himantopus novaezelandiae*
Black-necked, see *Himantopus mexicanus*
Hawaiian, see *Himantopus knudseni*
Pied, see *Himantopus himantopus*
Stork, Wood, see *Mycteria americana*
Streptopelia decaocto, 145 (r), 147 (r)
S. orientalis, 147 (r)
S. risoria, 145 (r)
Strix aluco, 336
S. occidentalis, 131, 324–334
S. o. caurina, 265 (r), 325, 330, 423 (r)
S. o. occidentalis, 325, 330
S. varia, 32
Sturnella magna, 394
S. vulgaris, 10, 12, 27–33, 37, 146 (r), 174, 238, 242, 272 (r), 515–516
Sunbittern, see *Eurypyga helias*
Swallow
Bank, see *Riparia riparia*
Barn, see *Hirundo rustica*
Cliff, see *Hirundo pyrrhonota*
N. Rough-winged, see *Stelgidopteryx serripennis*
Tree, see *Tachycineta bicolor*
Violet-green, see *Tachycineta thalassina*
Swift, Chimney, see *Chaetura pelagica*
Swiftlet, Atiu, see *Aerodramus sawtelli*
Sylvia borin, 269–270 (r)
Tachycineta bicolor, 27–33, 42, 44, 50, 252, 393, 413 (r)
T. thalassina, 50
Tanager
Blue-gray, see *Thraupis episcopus*
Scarlet, see *Piranga olivacea*
Western, see *Piranga ludoviciana*
Teal
Blue-winged, see *Anas discors*
Cinnamon, see *Anas cyanoptera*
[American] Green-winged, see *Anas crecca*
Telespiza, 274 (r)
Tern
Black, see *Chlidonias niger*
Caspian, see *Sterna caspia*
Common, see *Sterna hirundo*
Forster's, see *Sterna forsteri*
Gull-billed, see *Sterna nilotica*
Least, see *Sterna antillarum*
Roseate, see *Sterna dougallii*
Royal, see *Sterna maxima*
Sooty, see *Sterna fuscata*
terns, 420 (r), 562 (r)
Tetrao tetrix, 560–561 (r)
Thalassoica antarctica, 100, 270–271 (r)
Thambetochen chauliodous, 274 (r)
Thornbill, Striated, see *Acanthiza lineata*
Thrasher
Brown, see *Toxostoma rufum*
Curve-billed, see *Toxostoma curvirostre*
Thraupis episcopus, 145 (r)
Thrush
Hermit, see *Catharus guttauts*
Song, see *Turdus philomelos*
Swainson's, see *Catharus ustulatus*
Swainson's, see *Catharus swainsoni*
Varied, see *Ixoreus naevius*
Wood, see *Hylocichla mustelina*
Thryomanes bewickii, 51, 173
Thryothorus ludovicianus, 51, 56
Tit
Blue, see *Parus caeruleus*
Crested, see *Parus cristatus*
Great, see *Parus major*
Marsh, see *Parus palustris*
Siberian, see *Parus cinctus*
Willow, see *Parus montanus*
Titmouse
Bridled, see *Parus wollweberi*
Plain, see *Parus inornatus*
Tufted, see *Parus bicolor*
Towhee, Rufous-crowned, see *Pipilo erythrophthalmus*
Toxostoma curvirostre, 271 (r)
T. rufum, 174
Treecreeper
Common, see *Certhia familiaris*
Short-toed, see *Certhia brachydactyla*

Trembler, Brown, see *Cinclocerthia ruficauda*
Trichostema lanatum (Labiatae), 420 (r)
Tringa glareola, 270 (r)
T. melanoleuca, 133, 391–394
T. solitaria, 393
Troglodytes aedon, 31–32, 36–49, 51, 173, 250, 252, 267 (r), 268 (r)
Tryngites subruficollis, 534–542
Turdus migratorius, 55, 146 (r), 173, 269 (r), 433, 435–437, 564 (r)
T. philomelos, 558 (r)
Turkey
  Eastern Wild, see *Meleagris gallopavo silvestris*
  Wild, see *Meleagris gallopavo*
Tympanchus pallidicinctus, 559 (r)
T. cupido attwateri, 558–559 (r)
Tyrannus albogularis, 297
T. apolites, 305
T. caudifasciatus, 297, 305
T. chloronotus, 305
T. couchii, 298, 305
T. crassirostris, 297, 299, 302
T. cubensis, 297
T. dominicensis, 301, 510
T. forficata, 508–510
T. forficatus, 296, 299
T. melancholicus, 298, 305, 510
T. m. satrapa, 298
T. niveigularis, 296
T. occidentalis, 305
T. savana, 296, 300
T. tyrannus, 137 (r), 296, 312, 393, 510
T. verticalis, 296, 298, 510
T. vociferans, 297–298
Uria aalge, 407
Vangulifer, 275 (r)
Vaquita, see *Phocoena sinus*
Vermivora bachmanii, 145 (r)
V. celata, 174
V. peregrina, 174
V. ruficapilla, 160, 174, 232–236
Vireo atricapillus, 363
V. bellii, 162–163, 165–166
V. gilvus, 174
V. huttoni, 174
V. olivaceus, 174
V. solitarius, 174
Vireo
  Bell's, see *Vireo bellii*
  Black-capped, see *Vireo atricapillus*
  Hutton's, see *Vireo huttoni*
  Lesser Bell's, 166
  Red-eyed, see *Vireo olivaceus*
  Solitary, see *Vireo solitarius*
  Warbling, see *Vireo gilvus*
Vulture
  Black, see *Coragyps atratus*
  Turkey, see *Cathartes aura*
Wagtail, Yellow, see *Motacilla flava*
Warbler
  Audubon's, see *Dendroica coronata auduboni*
  Bachman's, see *Vermivora bachmanii*
  Black-throated Blue, see *Dendroica caerulescens*
  Black-throated Gray, see *Dendroica nigrescens*
  Black-throated Green, see *Dendroica virens*
  Blackpoll, see *Dendroica striata*
  Canada, see *Wilsonia canadaensis*
  Chestnut-sided, see *Dendroica pensylvanica*
  Connecticut, see *Oporonis agilis*
  Garden, see *Sylvia borin*
  Hermit, see *Dendroica occidentalis*
  Hooded, see *Wilsonia citrina*
  Kirtland's, see *Dendroica kirklandii*
  Lucy's, see *Vermivora luciae*
  MacGillivray's, see *Oporornis tolmiei*
  Magnolia, see *Dendroica magnolia*
  "Myrtle", see *Dendroica coronata coronata*
  Nashville, see *Vermivora ruficapilla*
  Orange-crowned, see *Vermivora celata*
  Palm, see *Dendroica palmarum*
  Pine, see *Dendroica pinus*
  Prairie, see *Dendroica discolor*
  Prothonotary, see *Protonotaria citrea*
  Townsend's X Hermit, see *Dendroica townsendi X occidentalis*
  Townsend's, see *Dendroica townsendi*
  Wilson's, see *Wilsonia pusilla*
  Wood, see *Phylloscopus sibilatrix*
  Yellow, see *Dendroica petechia*
  Yellow-rumped, see *Dendroica coronata*
Waterthrush, Northern, see *Seiurus noveboracensis*
Waxwing, Cedar, see *Bombycilla cedrorum*
Whip-poor-will, see *Caprimulgus vociferus*
White-eye
  Bridled, see *Zosterops conspicillatus*
  Golden, see *Cleptornis marchei*
Wigeon, American, see *Anas americana*
Willet, see *Catoptrophorus semipalmatus*
Wilsonia canadensis, 299
W. citrina, 266–267 (r)
W. pusilla, 174, 435
Wood-Pewee
  Eastern, see *Contopus virens*
  Western, see *Contopus sordidulus*
Woodcock, American, see *Philohela minor*
Woodpecker
  Acorn, see *Melanerpes formicivorus*
  Black-backed, see *Picoides arcticus*

Downy, see *Picoides pubescens*
Golden-fronted, see *Melanerpes aurifrons*
Great Spotted, see *Dendrocopus major*
Hairy, see *Picoides villosus*
Ladder-backed, see *Picoides scalaris*
Lewis', see *Melanerpes lewis*
Nuttall's, see *Picoides nutalli*
Pileated, see *Dryocopus pileatus*
Red-bellied, see *Melanerpes erythrocephalus*
Red-cockaded, see *Picoides borealis*
Red-headed, see *Melanerpes carolinus*
Strickland's, see *Picoides stricklandi*
Three-toed, see *Picoides tridactylus*
White-headed, see *Picoides albolarvatus*
Wren
Bewick's, see *Thryomanes bewickii*
Cactus, see *Campylorhynchus brunneicapillus*
Carolina, see *Thryothorus ludovicianus*
House, see *Troglodytes aedon*
Marsh, see *Cistothorus palustris*
Rock, see *Salpinctes obsoletus*
Sedge, see *Cistothorus platensis*
Wrentit, see *Chamaea fasciata*
Wrimbrel, see *Numenius phaeopus*
Xanthomyza phrygia, 270 (r)
Xenops minutus mexicanus, 307–321
Yellowlegs
Greater, see *Tringa melanoleuca*
Lesser, see *Tringa melanoleuca*
Yellowthroat, Common, see *Geothlypis trichas*
Zenaida, 146 (r)
Z. macroura, 12, 173, 276 (r), 393, 514–516
Zonotrichia albicolis, 175
Z. atricapilla, 175
Z. capensis (Emberizidae), 563 (r)
Z. leucophrys nuttalli, 142 (r)
Z. leucophrys, 56, 175, 305
Zosterops conspicillatus, 67
Z. lateralis, 140 (r)

POSTAL BULLETIN 21873, 9-1-94, Page 17

UNITED STATES POSTAL SERVICE — Statement of Ownership, Management, and Circulation (Required by 39 U.S.C. 3685)

1. Publication Title: JOURNAL OF FIELD ORNITHOLOGY
2. Publication No.: 0 2 7 3 - 8 9 7 0
3. Filing Date: 9 Oct. 1994
4. Issue Frequency: QUARTERLY (WINTER, SPRING, SUMMER, FALL)
5. No. of Issues Published Annually: 4
6. Annual Subscription Price: $21.00
7. Complete Mailing Address of Known Office of Publication (Street, City, County, State, and ZIP+4) (Not printers): ASSOCIATION OF FIELD ORNITHOLOGISTS, PO BOX 187, BOD E 10TH ST., LAWRENCE, KS 66044
8. Complete Mailing Address of Headquarters or General Business Office of Publisher (Not Printer): SAME AS 7
9. Full Names and Complete Mailing Addresses of Publisher, Editor, and Managing Editor (Do Not Leave Blank)
Publisher (Name and Complete Mailing Address): ASSOCIATION OF FIELD ORNITHOLOGISTS, PO BOX 187, BOD E 10TH ST., LAWRENCE, KS. 66044
Editor (Name and Complete Mailing Address): SEW YASURAMA, BELOIT COLLEGE, DEPT OF BIOLOGY, 700 COLLEGE ST., BELOIT, WI 53511
Managing Editor (Name and Complete Mailing Address): (NONE)
10. Owner (If owned by a corporation, its name and address must be stated and also immediately thereafter the names and addresses of stockholders owning or holding 1 percent or more of the total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Do Not Leave Blank)
Full Name: ASSOCIATION OF FIELD ORNITHOLOGISTS — Complete Mailing Address: PO BOX 187, BOD E 10TH ST., LAWRENCE, KS 66044
11. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages, or Other Securities. If none, check here ☐ None
Full Name — Complete Mailing Address
12. For completion by nonprofit organizations authorized to mail at special rates (DMM Section 424.12 only): The purpose, function, and nonprofit status of this organization and the exempt status for federal income tax purposes: ☐ Has Not Changed During Preceding 12 Months ☐ Has Changed During Preceding 12 Months (If changed, publisher must submit explanation of change with this statement)
PS Form 3526, October 1991 (Page 1 of 4)

Page 18, 9-1-94, 21873 POSTAL BULLETIN

13. Publication Name: JOURNAL OF FIELD ORNITHOLOGY
14. Issue Date for Circulation Data Below: FALL '93-SUM'94

15. Extent and Nature of Circulation	Average No. Copies Each Issue During Preceding 12 Months	Actual No. Copies of Single Issue Published Nearest to Filing Date
a. Total No. Copies (Net Press Run)	2642	2675
b. Paid and/or Requested Circulation (1) Sales Through Dealers and Carriers, Street Vendors, and Counter Sales (Not mailed)	2642	2675
(2) Paid or Requested Mail Subscriptions (Include Advertisers' Proof Copies/Exchange Copies)		
c. Total Paid and/or Requested Circulation (Sum of 15b(1) and 15b(2))	2550	2599
d. Free Distribution by Mail (Samples, Complimentary, and Other Free)	13	13
e. Free Distribution Outside the Mail (Carriers or Other Means)		
f. Total Free Distribution (Sum of 15d and 15e)	13	13
g. Total Distribution (Sum of 15c and 15f)	2563	2612
h. Copies Not Distributed (1) Office Use, Leftovers, Spoiled	79	63
(2) Return from News Agents		
i. Total (Sum of 15g, 15h(1), and 15h(2))	2642	2675
Percent Paid and/or Requested Circulation (15c / 15g x 100)	99.5	99.5

16. The Statement of Ownership will be printed in the 5th issue of this publication. ☐ Check box if not required to publish.
17. Signature and Title of Editor, Publisher, Business Manager, or Owner — Date: 9 Oct. 1994
I certify that all information furnished on this form is true and complete. I understand that anyone who furnishes false or misleading information on this form or who omits material or information requested on the form may be subject to criminal sanctions (including fines and imprisonment) and/or civil sanctions (including multiple damages and civil penalties).

Instructions to Publishers

1. Complete and file one copy of this form with your postmaster on or before October 1, annually. Keep a copy of the completed form for your records.
2. Include in items 10 and 11, in cases where the stockholder or security holder is a trustee, the name of the person or corporation for whom the trustee is acting. Also include the names and addresses of individuals who are stockholders who own or hold 1 percent or more of the total amount of bonds, mortgages, or other securities of the publishing corporation. In item 11, if none, check box. Use Blank sheets if more space is required.
3. Be sure to furnish all information called for in item 15, regarding circulation. Free circulation must be shown in items 15d, e, and f.
4. If the publication had complied class authorization as a general or requester publication, this Statement of Ownership, Management, and Circulation must be published; it must be printed in any issue in October or the first period issue after October if the public office is not published during October.
5. In item 16, indicate date of the issue in which this Statement of Ownership will be printed.
6. Item 17 must be signed.
Failure to file or publish a statement of ownership may lead to suspension of periodicals publication.
PS Form 3526, October 1991 (Page 2 of 4)